

KAISEN

kaisenelectric.com

LED LIGHTING

MAIN FEATURES




IP65
nano coating



110lm/w



3 year and 5 year
warranty available



5 layers



2 OZ
copper layer

LED strip

KAISEN

Kaisen flexible 5-layer LED strip

KSF-6M72-9W65K-65NANO



5 Layers

FOR BETTER
DURABILITY



Quality

GOLD WIRE &
COPPER HOLDER




McAdam 3

ONE BIN



Up to 110lm/W

HIGH EFFICIENCY
LED INSIDE



2 OZ cooper layer

EXTRA COPPER
LAYER THICKNESS



1056 lm

1056 LM PER METER



6500 K

6500K
AND OTHER COLORS



3 YEAR EXTENDED
WARRANTY


TECHNICAL INFORMATION

LED type	2835
Input	12V DC
Color temperature	3000 K, 4000 K, 6500 K
Beam angle	120°
Protection level	IP 65
Working temperature	-25°C + 55°C
Available colors	●
Power	9,6 W/m
Light output	1056 lm/m

DIMENSIONS OF 12V 72 LED



CONNECTION OF 12V LED STRIPS



LED strip

KAISEN

Kaisen flexible 5-layer LED strip

KSF-6M72-9W65K-65NANO-CUT

TECHNICAL INFORMATION

LED type	2835
Input	12V DC
Color temperature	3000 K, 4000 K, 6500 K
Beam angle	120°
Protection level	IP 65
Working temperature	-25°C + 55°C
Available colors	●
Power	9,6 W/m
Light output	1056 lm/m



5 Layers

FOR BETTER
DURABILITY



Quality

GOLD WIRE &
COPPER HOLDER



McAdam 3

ONE BIN



Up to 110 lm/W

HIGH EFFICIENCY
LED INSIDE



2 OZ cooper layer

EXTRA COPPER
LAYER THICKNESS



1056lm

1056 LM PER METER




6500 K

6500 K
AND OTHER COLORS




3 YEARS WARRANTY


3 YEAR EXTENDED
WARRANTY



DIMENSIONS OF 12V 72 LED



CONNECTION OF 12V LED STRIPS



LED strip

KAISEN

Kaisen flexible 5-layer LED strip KSF-5M120-12W65K-20



5 Layers

FOR BETTER
DURABILITY



Quality

GOLD WIRE &
COPPER HOLDER



McAdam 3

ONE BIN



Up to 110lm/W

HIGH EFFICIENCY
LED INSIDE



2 OZ cooper layer

EXTRA COPPER
LAYER THICKNESS



1320lm

1320 LM PER METER



6500 K

6500 K
AND OTHER COLORS



3 YEARS WARRANTY

3 YEAR EXTENDED
WARRANTY

TECHNICAL INFORMATION


LED type	2835
Input	12V DC
Color temperature	3000 K, 4000 K, 6500 K
Beam angle	120°
Protection level	IP 20
Working temperature	-25°C + 55°C
Available colors	●
Power	12 W/m
Light output	1320 lm/m



DIMENSIONS OF 12V 120 LED



CONNECTION OF 12V LED STRIPS



LED strip

KAISEN

Kaisen flexible 5-layer LED strip KSF-8M60-7W65K-20



5 Layers

FOR BETTER
DURABILITY



Quality

GOLD WIRE &
COPPER HOLDER



McAdam 3

ONE BIN



Up to 110lm/W

HIGH EFFICIENCY
LED INSIDE



2 OZ cooper layer

EXTRA COPPER
LAYER THICKNESS



770lm

770 LM PER METER



6500 K

6500K
AND OTHER COLORS



3 YEARS WARRANTY
3 YEAR EXTENDED
WARRANTY

TECHNICAL INFORMATION


LED type	2835
Input	12V DC
Color temperature	3000 K, 6500 K
Beam angle	120°
Protection level	IP 20
Working temperature	-25°C + 55°C
Available colors	●
Power	7 W/m
Light output	770 lm/m



DIMENSIONS OF 12V 60 LED



CONNECTION OF 12V LED STRIPS



LED strip

KAISEN

Kaisen flexible 5-layer LED strip KSF-8M120-12W65K-20



5 Layers

FOR BETTER
DURABILITY



Quality

GOLD WIRE &
COPPER HOLDER



McAdam 3

ONE BIN



Up to 110 lm/W

HIGH EFFICIENCY
LED INSIDE



2 OZ cooper layer

EXTRA COPPER
LAYER THICKNESS



1320 lm

1320 LM PER METER



6500 K

6500 K
AND OTHER COLORS




3 YEARS WARRANTY

3 YEAR EXTENDED
WARRANTY


TECHNICAL INFORMATION

LED type	2835
Input	12V DC
Color temperature	3000 K, 6500 K
Beam angle	120°
Protection level	IP 20
Working temperature	-25°C + 55°C
Available colors	●
Power	12 W/m
Light output	1320 lm/m

DIMENSIONS OF 12V 120 LED



CONNECTION OF 12V LED STRIPS



KAISEN

kaisenelectric.com

